

Minnesota Comprehensive Assessments (MCA)

Mathematics Test Specifications for MCA-III, Grades 3–8 and MCA-Modified, Grades 5–8



October 15, 2010

**Based on the
Minnesota K-12 Academic Standards in Mathematics (2007 version)**

MINNESOTA DEPARTMENT OF EDUCATION

Mathematics Test Specifications for MCA-III, Grades 3–8 and MCA-Modified, Grades 5–8

An updated version of this document will be published
after the 2011 operational administration of the test.

For a copy in an alternate format, contact
Division of Research and Assessment
Minnesota Department of Education
1500 Highway 36 West
Roseville, MN 55113-4266
Phone (651) 582.8200 • Fax (651) 582.8874
mde.testing@state.mn.us

Last Revised
October 19, 2011

The Department thanks the Test Specifications Committee, as well as all of the panelists and teachers who reviewed this document in draft form, for their hard work and continued involvement.

TABLE OF CONTENTS

MCA MATHEMATICS TEST SPECIFICATIONS.....	5
INTRODUCTION.....	5
PURPOSE OF THE MINNESOTA COMPREHENSIVE ASSESSMENTS	5
MCA-III	5
MCA-Modified	6
PURPOSE AND OVERVIEW OF THE TEST SPECIFICATIONS	7
ITEM SPECIFICATIONS.....	8
Item Specification Considerations	8
COGNITIVE COMPLEXITY	11
CALCULATOR DESIGNATION	12
TEST DESIGN BY GRADE LEVEL	12
A GUIDE TO READING THE TEST SPECIFICATIONS	15
AN EXPLANATION OF TERMS RELATED TO THE GRADE-LEVEL TABLES.....	16
MATHEMATICS MCA-III TEST SPECIFICATIONS GRADE-LEVEL TABLES	17
Grade 3	17
Grade 4	24
Grade 5	30
Grade 6	37
Grade 7	44
Grade 8	51
APPENDIX A.....	58

This page left intentionally blank.

MCA MATHEMATICS TEST SPECIFICATIONS

Introduction

Mathematics test specifications for grades 3–8 of the Minnesota Comprehensive Assessments Series III (MCA-III) and grades 5–8 of the MCA-Modified are presented in this document. The reader is encouraged to read the introductory information carefully because many important concepts are presented, including the purposes of the MCA-III and MCA-Modified in Mathematics, a description of the cognitive levels and other information about the format of the test specifications.

Purpose of the Minnesota Comprehensive Assessments

The purpose of Minnesota assessments is to measure Minnesota students' achievement with regard to the Minnesota Academic Standards. Assessment results can be used to inform curriculum decisions at the district and school level, inform instruction at the classroom level and demonstrate student academic progress from year to year.

MCA-III

The passage of the No Child Left Behind Act (2000)¹ required that students be assessed in grades 3–8 and high school. The *Minnesota K–12 Academic Standards in Mathematics* were adopted in 2003; the Minnesota Comprehensive Assessments-Series II assessed these standards. The 2006 Minnesota Legislature approved the 2006 Omnibus Education Policy Act (see Minn. Stat. § 120B.023, subd. 2b). This legislation required the revision of the state's academic standards in mathematics in the 2006–2007 school year. The legislation also required that beginning in the 2010–2011 school year, state mathematics tests given in grades 3–8 align with the revised 2007 academic standards in mathematics. The revision to the standards was significant enough that a new series of the MCA assessments was necessary. Thus, the Mathematics MCA-III are aligned with the 2007 *Minnesota K–12 Academic Standards in Mathematics*.

¹ At the time of publication, the federal government was reviewing ESEA for changes and reauthorization. Information in this document is up-to-date based on time of publication. If changes are made to ESEA that affect this document, then this document will be revised accordingly in a timely manner.

MCA-Modified

The Mathematics MCA-Modified (MCA-M) is an alternate assessment based on modified achievement standards. It is designed for a small group of students whose disability has precluded them from achieving grade-level proficiency but who do not qualify to take Minnesota's other alternate assessment, the Minnesota Test of Academic Skills (MTAS). The MCA-Modified differs from the MCA-III in a few key ways, including the following:

- The student must have an IEP. The IEP team is responsible for determining, on an annual basis, how a student with a disability will participate in statewide testing. This decision-making process must start with a consideration of the general education assessment.
- The MCA-Modified may only be administered to a student who currently receives special education services, though participation in the administration is not limited to any particular disability category.
- Students must meet all eligibility requirements for the MCA-Modified before it is selected by the IEP team. Eligibility requirements for the MCA-Modified can be found below.
 1. The student demonstrates persistent low performance as defined by performance at the lowest achievement level on the MCA (Does Not Meet the Standards) for the past 2 years.

OR

The student meets or exceeds the standards on the MTAS and the IEP team determines that the student is most appropriately assessed with the MCA-M.
 2. The student has access to instruction on grade-level content standards.
 3. The student has an IEP based on grade-level content standards in the content area(s) being assessed by MCA-M.

4. The IEP team determines that the student is highly unlikely to achieve proficiency on the grade-level content standards within the year the test is administered, even with specially designed instruction.
 - a. Objective and valid data from multiple measures should be collected over time to confirm that the student is not likely to achieve proficiency on grade-level content standards within the year. Examples of objective and valid measures include state assessments, district-wide assessments, curriculum-based measures and other repeated measures of progress over time.
 - b. Appropriate accommodations, such as assistive technology, are provided as needed on evaluations of classroom performance, and the student's accommodation needs are carefully considered before the IEP team makes a determination that the student is not likely to achieve proficiency on grade-level content standards.

Purpose and Overview of the Test Specifications

The primary purpose of test specifications is to help test developers build a test that is consistent over time. The *DRAFT Mathematics Test Specifications for MCA-III, Grades 3–8, and MCA-Modified, Grades 5–8* are also meant to serve as a source of information about the test design for teachers and the general public. Test specifications do not indicate what should be taught; the Minnesota academic standards do. Test specifications do not indicate how students should be taught; the classroom teacher does. Test specifications indicate which strands, standards and benchmarks will be assessed on the test and in what proportions. In addition, test specifications provide the types of items to be included, number of items and distribution of cognitive levels. Test specifications also clarify, define and/or limit how test items will be written.

As with any test, the MCA-III and MCA-Modified assess a sampling of student knowledge and do not test every standard or benchmark. There are standards and benchmarks that cannot be assessed with a standardized test. That does not mean that these skills should not be taught or assessed. Teachers need to instruct and assess

their students on all of the academic standards. Standards and benchmarks that are not assessed on the MCA-III are indicated in this document with the phrase “Not assessed on the MCA-III or MCA-Modified.” In addition, not all assessable benchmarks will be included on every assessment and some benchmarks are embedded within the assessment of other benchmarks.

Panels consisting of members of the Minnesota Academic Standards Committee and classroom teachers were convened to develop the Mathematics MCA-III Test Specifications. Many of the classroom teachers were recommended to the Minnesota Department of Education (MDE) by various education organizations, school districts and other stakeholder groups. For the MCA-Modified, recommendations proposed in focus groups conducted with special educators are incorporated in these specifications.

Item Specifications

Item specifications are provided for each assessed benchmark. The item specifications provide restrictions of numbers, notation, scales, context and item limitations/requirements. The item specifications also list symbols and vocabulary that may be used in items. This list is cumulative in nature. For example, symbols and vocabulary listed at grade 3 are eligible for use in all of the grades that follow (i.e., grades 4 through 8). So, symbols and vocabulary listed at grades 3 and 4 are eligible for use in MCA-Modified in grades 5 through 8.

Item Specification Considerations

There are broad item-development issues addressed during the development of test items. Each of the following issues is considered for all of the items developed for the Mathematics MCA-III and Mathematics MCA-Modified.

1. Each item will be written to measure primarily one benchmark; however, other benchmarks may also be reflected in the item content.
2. Items will be appropriate for students in terms of grade-level difficulty, expected knowledge of grade-level mathematical vocabulary, life experiences and reading level.

3. At a given grade, items will range in difficulty from easy to challenging for the intended population.
4. Items will not disadvantage or disrespect any segment of the population with regard to age, gender, race, ethnicity, language, religion, socioeconomic status, disability or geographic region.
5. Items will be written to meet benchmark calculator requirements as specified in the academic standards and/or test specifications.
6. Each item will be written to clearly and unambiguously elicit the desired response.
7. For the Mathematics MCA-III, a reference sheet of appropriate formulas and conversions is provided to students in grades 5–11 for use during testing. For the Mathematics MCA-Modified, appropriate formulas and conversions are provided to students with items in addition to the formula sheet.
8. Items will be written according to the MDE *Guidelines for Test Construction*.
9. Advisory Panels will review items as specified in the MDE *Vendor Guide to Advisory Panels*.
10. Items will be written using principles of Universal Design (see the linguistic modification report from the US Department of Education LEP Partnership²). These principles include the following:
 - a. Use active voice rather than passive voice.
 - b. Avoid negation.
 - c. Avoid proper nouns.
 - d. Avoid using general language terms that have a special meaning in math contexts.
 - e. Reduce written context and be as universal as possible.
 - f. To the extent possible, write sentences that are simple and in standard word order.
11. A read-aloud of items is provided via built-in audio in the online assessment.

² Abedi, J. & Sato, E. (2008). *Linguistic modification. Part I: Language factors in the assessment of English language learners: The theory and principles underlying the linguistic modification approach; Part II: A guide to linguistic modification: Increasing English language learner access to academic content*. Washington, DC: U.S. Department of Education: LEP Partnership. [View report online](http://www.ncela.gwu.edu/files/uploads/11/abedi_sato.pdf) (http://www.ncela.gwu.edu/files/uploads/11/abedi_sato.pdf).

The MCA-Modified assesses the same grade-level standards as the MCA-III, but the achievement expectations are less rigorous than those on the MCA-III. The same content is covered in the MCA-Modified but with less difficult questions. To meet the goal to design a test that is accessible yet challenging for the population of students whose disability has prevented them from attaining grade-level proficiency, several design modifications have been made. In addition to the issues outlined and referenced above, the following guidelines should also be used for the MCA-Modified.

1. Items will be written using language simplification principles.
 - a. Use high-frequency, familiar vocabulary and short word lengths.
 - b. Use short, syntactically non-complex sentences in subject-verb-object order.
 - c. Use simple, common verb tenses/moods (infinitive, present indicative, past, simple future); present tense is preferred. Use past participles as adjectives.
 - d. Limit use of pronouns; ensure that referents are clear.
 - e. Avoid idioms and colloquialisms.
 - f. Avoid unnecessary words with multiple meanings.
 - g. Avoid long noun and prepositional phrases.
2. Page and item layout will focus on a simplified design.
 - a. Increase white space in pages and screens.
 - b. Use a single column format when appropriate.
 - c. Stack sentences in stimuli.
 - d. Increase size of graphics.
 - e. Use simple graphics.
 - f. Use uncomplicated art to support item context and meaning.
 - g. Limit scrolling in computer-delivered items and two-page layouts in paper forms.
3. The number of operational items within a form are reduced from that used by MCA-III while maintaining the proportion of content coverage across strands, and standards.

4. All items are three-option multiple-choice questions.
5. Key words are presented in boldface in some items to help students identify the main task to be completed in the item.

Cognitive Complexity

Cognitive complexity refers to the cognitive demand associated with an item. The level of cognitive demand focuses on the type and level of thinking and reasoning required of the student on a particular item. MCA-III and MCA-Modified levels of cognitive complexity are based on Norman L. Webb's Depth of Knowledge³ levels.

A Level 1 (recall) item requires the recall of information such as a fact, definition, term or simple procedure, as well as performing a simple algorithm or applying a formula. A well-defined and straight algorithmic procedure is considered to be at this level. A Level 1 item specifies the operation or method of solution and the student is required to carry it out.

A Level 2 (skill/concept) item calls for the engagement of some mental processing beyond a habitual response, with students required to make some decisions as to how to approach a problem or activity. Interpreting information from a simple graph and requiring reading information from the graph is a Level 2. An item that requires students to choose the operation or method of solution and then solve the problem is a Level 2. Level 2 items are often similar to examples used in textbooks.

Level 3 (strategic thinking) items require students to reason, plan or use evidence to solve the problem. In most instances, requiring students to explain their thinking is a Level 3. A Level 3 item may be solved using routine skills but the student is not cued or prompted as to which skills to use.

Level 4 (extended thinking) items require complex reasoning, planning, developing and thinking, most likely over an extended period of time. Level 4 items are best assessed in the classroom, where the constraints of standardized testing are not a factor.

³ Webb, N. L. *Alignment of science and mathematics standards and assessments in four states* (Research Monograph No. 18). Madison: University of Wisconsin – Madison, National Institute for Science Education, 1999.

Using these cognitive complexity levels to categorize items ensures that the complexity of the test items matches the complexity of the content domain assessed. Based on the benchmarks included in the Mathematics MCA-III and Mathematics MCA-Modified, Table 1 indicates the target proportion of test items at each cognitive level included in each test.

TABLE 1. Cognitive Level Target Minimum Distribution of Items in Mathematics for the MCA and MCA-Modified

Grades	Level 1	Level 2	Level 3
3–8	20%	30%	5%

Calculator Designation

The Academic Standards committee identified several benchmarks across the grades that students should master without using a calculator. These benchmarks are identified in this document with the wording “using common algorithms.” Since the MCA-III and MCA-Modified are aligned with the Minnesota academic standards, the items assessing benchmarks identified as non-calculator will be assessed within a non-calculator segment.

Test Design by Grade Level

A variety of item types will be used on the Mathematics MCA-III, including multiple-choice (MC) items and technology-enhanced (TE) items. Technology-enhanced items may consist of the following types of responses: type-in (student will type numerical answers in a box), graphing (student will plot data to complete various mathematical displays), drag-and-drop (students will formulate, rather than select, a response using drag-and-drop response options) and hot-spot (students will select multiple correct responses or will mark locations on mathematical graphics and displays).

As stated previously in this document, the MCA-Modified will use only three-option multiple-choice (MC) items.

Table 2 indicates the number of operational items appearing on a form of the Mathematics MCA-III for each grade level, as well as the range of items within a test form aligned to each strand for grades 3–8. Table 3 indicates the same information for the MCA-Modified, grades 5–8.

TABLE 2. Range of Items per Strand for 2011 Mathematics MCA-III
Grades 3–8

Grade	Number of Operational Items	Number & Operation	Algebra	Geometry & Measurement	Data Analysis & Probability
3	50	20–24	8–10	10–13	6–8
4	50	18–22	8–10	12–15	6–8
5	50	18–22	10–14	8–10	6–8
6	50	14–19	12–16	10–12	6–8
7	50	12–16	16–20	8–10	8–10
8	50	6–8	24–30	8–10	6–8

TABLE 3. Range of Items per Strand for Mathematics MCA-Modified
Grades 5–8

Grade	Number of Operational Items	Number & Operation	Algebra	Geometry & Measurement	Data Analysis & Probability
5	35	11–14	7–9	6–8	6–8
6	35	9–12	8–11	7–9	6–8
7	35	7–9	9–12	7–9	8–10
8	35	6–7	14–17	6–7	6–7

Table 4 indicates the type and number of items for the 2011 online Mathematics MCA. Table 5 indicates the type and number of items for the 2011 paper Mathematics MCA. As stated previously in this document, the MCA-Modified will use only three-option multiple-choice (MC) items.

TABLE 4. Type and Number of Items for 2011 Online Mathematics MCA-III
Grades 3–8


Grade	MC Items (1 point)	Technology- Enhanced Items (1 point)	Total Items/Points
3	38–48	2–12	50
4	38–48	2–12	50
5	38–48	2–12	50
6	38–48	2–12	50
7	38–48	2–12	50
8	38–48	2–12	50

TABLE 5. Type and Number of Items for 2011 Paper Mathematics MCA MCA-III
Grades 3–8

Grade	MC Items (1 point)	Fill-In/Gridded Response Items (1 point)	Total Items/Points
3	50	NA	50
4	50	NA	50
5	46–48	2–4	50
6	46–48	2–4	50
7	46–48	2–4	50
8	46–48	2–4	50

The minimum and maximum numbers of operational items by standard for the Mathematics MCA-III grades 3–8 and the MCA-Modified grades 5–8 are shown in Tables 6–15, located in Appendix A of this document.

A Guide to Reading the Test Specifications



An Explanation of Terms Related to the Grade-Level Tables

Strand: This is the most general categorization of content in the Minnesota Academic Standards.

Standard: Standards describe the expectations in mathematics that all students must satisfy to meet state requirements for credit.

Benchmark: The purpose of benchmarks is to provide details about "the academic knowledge and skills that schools must offer and students must achieve to satisfactorily complete" the standards (Minn. Stat. § 120B.023 (2006)). Benchmarks are intended to "inform and guide parents, teachers, school districts and other interested persons and for use in developing tests consistent with the benchmarks" (Minn. Stat. § 120B.023 (2006)). Each standard is divided into several benchmarks.

Item Code: Test developers use this code to identify the strand, standard and benchmark to which a test item is aligned.

Item Specifications: These statements provide more specific clarifications, definitions or restrictions for the benchmark as it is assessed on the MCA.

Item Range by Strand: This range is the possible number of items that will be on the operational form from a specific strand.

Item Range by Standard: This range is the total number of items measuring the standard that could be on the test for the indicated strand. For example, in Grade 3 Mathematics, 20–24 items are from Strand 1. Of those 20–24 Strand 1 items, 5–7 items are from Standard 1 (3.1.1).

Mathematics MCA-III Test Specifications Grade-Level Tables

Grade 3

Strand 1—Number & Operation

(MCA, 20–24 items)

Standard 3.1.1: Compare and represent whole numbers up to 100,000 with an emphasis on place value and equality.

(MCA, 5–7 items)

Benchmarks

3.1.1.1

Read, write and represent whole numbers up to 100,000. Representations may include numerals, expressions with operations, words, pictures, number lines, and manipulatives such as bundles of sticks and base 10 blocks.

Item Specifications

- Vocabulary allowed in items: digits, value, plot, locate, point
-

3.1.1.2

Use place value to describe whole numbers between 1000 and 100,000 in terms of ten thousands, thousands, hundreds, tens and ones.

Item Specifications

- Allowable expanded forms: $300 + 60 + 5$, 3 hundreds + 6 tens + 5 ones
 - Items may ask to identify a place a digit is in or the value of the digit in a place
 - Vocabulary allowed in items: digits, value, equal
-

3.1.1.3

Find 10,000 more or 10,000 less than a given five-digit number. Find 1000 more or 1000 less than a given four- or five-digit number. Find 100 more or 100 less than a given four- or five-digit number.

Item Specifications

- Vocabulary allowed in items: fewer, more, less, greater
-

3.1.1.4

Round numbers to the nearest 10,000, 1000, 100 and 10. Round up and round down to estimate sums and differences.

Item Specifications

- Vocabulary allowed in items: estimate, round, nearest, closest
-

3.1.1.5

Compare and order whole numbers up to 100,000.

Item Specifications

- $<$ and $>$ symbols are not allowed
- Vocabulary allowed in items: least, greatest, compare, order, value

Standard 3.1.2: Add and subtract multi-digit whole numbers; represent multiplication and division in various ways; solve real-world and mathematical problems using arithmetic.

(MCA, 8–10 items)

Benchmarks

3.1.2.1

Add and subtract multi-digit numbers using efficient and generalizable procedures based on knowledge of place value, including standard algorithms.

Item Specifications

- Addition items may contain 3 whole number addends, at most
 - Numbers used may contain 4 digits each, at most
 - Items must not have context
 - Vocabulary allowed in items: add, subtract, sum, difference, result
-

3.1.2.2

Use addition and subtraction to solve real-world and mathematical problems involving whole numbers. Use various strategies, including the relationship between addition and subtraction, the use of technology and the context of the problem, to assess the reasonableness of results.

Item Specifications

- Addition items may contain 3 whole number addends, at most
 - Numbers used may contain 4 digits each, at most
 - Addition and subtraction can be used in the same item
 - Vocabulary allowed in items: add, subtract, sum, difference, result
-

3.1.2.3

Represent multiplication facts using a variety of approaches, such as repeated addition, equal-sized groups, arrays, area models, equal jumps on a number line and skip counting. Represent division facts by using a variety of approaches, such as repeated subtraction, equal sharing and forming equal groups. Recognize the relationship between multiplication and division.

Item Specifications

- Factors are limited to 1–12
 - Variables are not used
 - Vocabulary allowed in items: multiply, divide
-

3.1.2.4

Solve real-world and mathematical problems involving multiplication and division, including both "how many in each group" and "how many groups" division problems.

Item Specifications

- Factors are limited to 1–20; 1 factor must have only 1 digit
- Dividend is no greater than 100
- Vocabulary allowed in items: multiply, divide, product

3.1.2.5

Use strategies and algorithms based on knowledge of place value, equality and properties of addition and multiplication to multiply a two- or three-digit number by a one-digit number. Strategies may include mental strategies, partial products, the standard algorithm and the commutative, associative and distributive properties.

Item Specifications

- Items must not have context
- The one-digit factor must be 2–6
- Vocabulary allowed in items: multiply, product

Standard 3.1.3: Understand meanings and uses of fractions in real-world and mathematical situations.

(MCA, 5–7 items)

Benchmarks**3.1.3.1**

Read and write fractions with words and symbols. Recognize that fractions can be used to represent parts of a whole, parts of a set, points on a number line or distances on a number line.

Item Specifications

- Denominators are limited to 2, 3, 4, 6 and 8
 - Sets may contain no more than 12 objects
 - Vocabulary allowed in items: fraction, plot, locate, point
-

3.1.3.2

Understand that the size of a fractional part is relative to the size of the whole.

Item Specifications

- Denominators are limited to 2, 3, 4, 6 and 8
 - Sets may contain no more than 12 objects
 - Vocabulary allowed in items: fraction
-

3.1.3.3

Order and compare unit fractions and fractions with like denominators by using models and an understanding of the concept of numerator and denominator.

Item Specifications

- Denominators are limited to 2, 3, 4, 6 and 8
- Sets may contain no more than 12 objects
- Vocabulary allowed in items: fraction, equal, least, greatest

Strand 2—Algebra

(MCA, 8–10 items)

Standard 3.2.1: Use single-operation input-output rules to represent patterns and relationships and to solve real-world and mathematical problems.

(MCA, 3–4 items)

Benchmarks**3.2.1.1**

Create, describe and apply single-operation input-output rules involving addition, subtraction and multiplication to solve problems in various contexts.

Item Specifications

- At least 3 iterations of the pattern must be given
- Items may require identification of 3 or fewer terms beyond what is given
- Vocabulary allowed in items: rule, input, output, value

Standard 3.2.2: Use number sentences involving multiplication and division basic facts and unknowns to represent and solve real-world and mathematical problems; create real-world situations corresponding to number sentences.

(MCA, 5–6 items)

Benchmarks**3.2.2.1**

Understand how to interpret number sentences involving multiplication and division basic facts and unknowns. Create real-world situations to represent number sentences.

Item Specifications

- Variables, boxes or blanks may be used to represent unknown numbers
- Vocabulary allowed in items: number sentence, equation, value, represent

3.2.2.2

Use multiplication and division basic facts to represent a given problem situation using a number sentence. Use number sense and multiplication and division basic facts to find values for the unknowns that make the number sentences true.

Item Specifications

- Variables, boxes or blanks may be used to represent unknown numbers
- Vocabulary allowed in items: number sentence, equation, value, represent

Strand 3—Geometry & Measurement

(MCA, 10–13 items)

Standard 3.3.1: Use geometric attributes to describe and create shapes in various contexts.
(MCA, 3–4 items)

Benchmarks**3.3.1.1**

Identify parallel and perpendicular lines in various contexts, and use them to describe and create geometric shapes, such as right triangles, rectangles, parallelograms and trapezoids.

Item Specifications

- When identifying shapes by the attribute of parallel or perpendicular lines, shapes are limited to triangle, parallelogram, rectangle, rhombus, square and trapezoid
- Allowable notation: right angle symbol (square in corner)
- Items will not require students to identify right triangles by name
- Vocabulary allowed in items: parallel, perpendicular, right, figure

3.3.1.2

Sketch polygons with a given number of sides or vertices (corners), such as pentagons, hexagons and octagons.

Item Specifications

- Allowable shapes: triangle, parallelogram, rectangle, rhombus, square, trapezoid, pentagon, hexagon, octagon
- Vocabulary allowed in items: sides, angles, vertices, figure

Standard 3.3.2: Understand perimeter as a measurable attribute of real-world and mathematical objects. Use various tools to measure distances.
(MCA, 3–4 items)

Benchmarks**3.3.2.1**

Use half units when measuring distances.

Item Specifications

- Not assessed on the MCA-III

3.3.2.2

Find the perimeter of a polygon by adding the lengths of the sides.

Item Specifications

- Polygons may have 6 sides, at most
- Items may require finding the length of an unknown side given the lengths of the other sides and the perimeter
- Units are limited to inches, feet, yards, centimeters and meters
- Vocabulary allowed in items: perimeter, length, width, side, figure

3.3.2.3

Measure distances around objects.

Item Specifications

- Items may require identification of appropriate tools or procedures for measuring distance
- Vocabulary allowed in items: tool, ruler, yardstick, meter stick, tape measure

Standard 3.3.3: Use time, money and temperature to solve real-world and mathematical problems.

(MCA, 4–5 items)

3.3.3.1

Tell time to the minute using digital and analog clocks. Determine elapsed time to the minute.

Item Specifications

- Elapsed time must be within a two-hour span
- Vocabulary allowed in items: a.m., p.m.

3.3.3.2

Know relationships among units of time.

Item Specifications

- Allowable conversions: minutes to hours, hours to minutes, hours to days, days to hours, days to weeks, weeks to days, months to years, years to months
- Items may require finding a conversion with mixed units in the answer (e.g., 12 days = 1 week and 5 days)
- Vocabulary allowed in items: unit

3.3.3.3

Make change up to 1 dollar in several different ways, including with as few coins as possible.

Item Specifications

- Allowable coins: penny, nickel, dime, quarter
- Allowable notation: \$5, \$0.75, 75¢
- When calculating change, the amount tendered is \$10, at most
- Vocabulary allowed in items: greatest, least, fewest, most, value

3.3.3.4

Use an analog thermometer to determine temperature to the nearest degree in Fahrenheit and Celsius.

Item Specifications

- Allowable notation: 15°F, 37°C
- Temperatures must be given in whole numbers
- Vocabulary allowed in items: thermometer, temperature, degrees, increase, decrease

Strand 4—Data Analysis

(MCA, 6–8 items)

Standard 3.4.1: Collect, organize, display, and interpret data. Use labels and a variety of scales and units in displays.

(MCA, 6–8 items)

Benchmarks**3.4.1.1**

Collect, display and interpret data using frequency tables, bar graphs, picture graphs and number line plots having a variety of scales. Use appropriate titles, labels and units.

Item Specifications

- Scale increments will not exceed 5
- Pictograph keys will not exceed 5
- Total number on graph or chart will not exceed 500
- Vocabulary allowed in items: pictograph, tally chart, bar graph, line plot, table, data, title, label, key, represent, scale

Grade 4

Strand 1—Number & Operation

(MCA, 18–22 items)

Standard 4.1.1: Demonstrate mastery of multiplication and division basic facts; multiply multi-digit numbers; solve real-world and mathematical problems using arithmetic.

(MCA, 8–10 items)

Benchmarks

4.1.1.1

Demonstrate fluency with multiplication and division facts.

Item Specifications

- Factors are limited to 1–9
- Vocabulary allowed in items: quotient and vocabulary given at previous grades

4.1.1.2

Use an understanding of place value to multiply a number by 10, 100 and 1000.

Item Specifications

- Numbers multiplied by 10, 100 and 1000 may contain at most, 2 digits
- Numbers must be whole numbers
- Vocabulary allowed in items: vocabulary given at previous grades

4.1.1.3

Multiply multi-digit numbers using efficient and generalizable procedures based on knowledge of place value, including standard algorithms.

Item Specifications

- Items will contain multiplication of a one- or two-digit number by a two- or three-digit number
- Numbers must be whole numbers
- Items must not have context
- Vocabulary allowed in items: factor and vocabulary given at previous grades

4.1.1.4

Estimate products and quotients of multi-digit whole numbers by using rounding, benchmarks and place value to assess the reasonableness of results.

Item Specifications

- Assessed within 4.1.1.5

4.1.1.5

Solve multi-step real-world and mathematical problems requiring the use of addition, subtraction and multiplication of multi-digit whole numbers. Use various strategies, including the relationship between operations, the use of technology and the context of the problem to assess the reasonableness of results.

Item Specifications

- Solutions must be less than 100,000
- Vocabulary allowed in items: operation, strategy, solve and vocabulary given at previous grades

4.1.1.6

Use strategies and algorithms based on knowledge of place value, equality and properties of operations to divide multi-digit whole numbers by one- or two-digit numbers. Strategies may include mental strategies, partial quotients, the commutative, associative and distributive properties and repeated subtraction.

Item Specifications

- Dividend may contain at most, 3 digits
- Vocabulary allowed in items: quotient, divisor, dividend and vocabulary given at previous grades

Standard 4.1.2: Represent and compare fractions and decimals in real-world and mathematical situations; use place value to understand how decimals represent quantities. (MCA, 10–12 items)

Benchmarks**4.1.2.1**

Represent equivalent fractions using fraction models such as parts of a set, fraction circles, fraction strips, number lines and other manipulatives. Use the models to determine equivalent fractions.

Item Specifications

- Denominators are limited to 2, 3, 4, 5, 6, 8, 10 and 12
 - Vocabulary allowed in items: equivalent, represent, numerator, denominator and vocabulary given at previous grades
-

4.1.2.2

Locate fractions on a number line. Use models to order and compare whole numbers and fractions, including mixed numbers and improper fractions.

Item Specifications

- Denominators are limited to 2, 3, 4, 5, 6, 8, 10 and 12
 - Vocabulary allowed in items: equivalent, numerator, denominator, improper fraction, mixed numbers, compare and vocabulary given at previous grades
-

4.1.2.3

Use fraction models to add and subtract fractions with like denominators in real-world and mathematical situations. Develop a rule for addition and subtraction of fractions with like denominators.

Item Specifications

- Denominators are limited to 2, 3, 4, 5, 6, 8, 10 and 12
 - Vocabulary allowed in items: numerator, denominator and vocabulary given at previous grades
-

4.1.2.4

Read and write decimals with words and symbols; use place value to describe decimals in terms of thousands, hundreds, tens, ones, tenths, hundredths and thousandths.

Item Specifications

- Vocabulary allowed in items: decimal and vocabulary given at previous grades

4.1.2.5

Compare and order decimals and whole numbers using place value, a number line and models such as grids and base 10 blocks.

Item Specifications

- Numbers used are from thousands to thousandths
- Allowable symbols: < and >
- Vocabulary allowed in items: decimal and vocabulary given at previous grades

4.1.2.6

Read and write tenths and hundredths in decimal and fraction notations using words and symbols; know the fraction and decimal equivalents for halves and fourths.

Item Specifications

- Vocabulary allowed in items: decimal, equivalent and vocabulary given at previous grades

4.1.2.7

Round decimals to the nearest tenth.

Item Specifications

- Numbers must be less than 500
- Decimals may be given up to thousandths
- Vocabulary allowed in items: decimal and vocabulary given at previous grades

Strand 2—Algebra

(MCA, 8–10 items)

Standard 4.2.1: Use input-output rules, tables and charts to represent patterns and relationships and to solve real-world and mathematical problems.

(MCA, 4–5 items)

Benchmarks**4.2.1.1**

Create and use input-output rules involving addition, subtraction, multiplication and division to solve problems in various contexts. Record the inputs and outputs in a chart or table.

Item Specifications

- When creating a rule from pairs, 3 input-output pairs must be given; pairs are not required to be consecutive
- Output should not exceed 100
- Vocabulary allowed in items: vocabulary given at previous grades

Standard 4.2.2: Use number sentences involving multiplication, division and unknowns to represent and solve real-world and mathematical problems; create real-world situations corresponding to number sentences.

(MCA, 4–5 items)

Benchmarks

4.2.2.1

Understand how to interpret number sentences involving multiplication, division and unknowns. Use real-world situations involving multiplication or division to represent number sentences.

Item Specifications

- Numbers must be less than 100
- Variables, boxes or blanks may be used to represent unknown numbers
- Vocabulary allowed in items: variable and vocabulary given at previous grades

4.2.2.2

Use multiplication, division and unknowns to represent a given problem situation using a number sentence. Use number sense, properties of multiplication and the relationship between multiplication and division to find values for the unknowns that make the number sentences true.

Item Specifications

- Numbers must be less than 100
- Variables, boxes or blanks may be used to represent unknown numbers
- Vocabulary allowed in items: variable and vocabulary given at previous grades

Strand 3—Geometry & Measurement

(MCA, 12–15 items)

Standard 4.3.1: Name, describe, classify and sketch polygons.

(MCA, 4–5 items)

Benchmarks

4.3.1.1

Describe, classify and sketch triangles, including equilateral, right, obtuse and acute triangles. Recognize triangles in various contexts.

Item Specifications

- Naming of triangles is limited to equilateral, right, obtuse and acute
- Allowable notation: 90°
- Vocabulary allowed in items: vertex and vocabulary given at previous grades

4.3.1.2

Describe, classify and draw quadrilaterals, including squares, rectangles, trapezoids, rhombuses, parallelograms and kites. Recognize quadrilaterals in various contexts.

Item Specifications

- Naming of quadrilaterals is limited to quadrilateral, square, rectangle, trapezoid, rhombus, parallelogram and kite
- Allowable notation: 90°
- Vocabulary allowed in items: vertex, congruent, and vocabulary given at previous grades

Standard 4.3.2: Understand angle and area as measurable attributes of real-world and mathematical objects. Use various tools to measure angles and areas.

(MCA, 5–7 items)

Benchmarks

4.3.2.1

Measure angles in geometric figures and real-world objects with a protractor or angle ruler.

Item Specifications

- Not assessed on the MCA-III
-

4.3.2.2

Compare angles according to size. Classify angles as acute, right and obtuse.

Item Specifications

- Allowable notation: 90° , angle arc
 - Vocabulary allowed in items: vocabulary given at previous grades
-

4.3.2.3

Understand that the area of a two-dimensional figure can be found by counting the total number of same-size square units that cover a shape without gaps or overlaps. Justify why length and width are multiplied to find the area of a rectangle by breaking the rectangle into 1×1 unit squares and viewing these as grouped into rows and columns.

Item Specifications

- Vocabulary allowed in items: area, and vocabulary given at previous grades
-

4.3.2.4

Find the areas of geometric figures and real-world objects that can be divided into rectangular shapes. Use square units to label area measurements.

Item Specifications

- Vocabulary allowed in items: area, and vocabulary given at previous grades

Standard 4.3.3: Use translations, reflections and rotations to establish congruency and understand symmetries.

(MCA, 3–4 items)

Benchmarks

4.3.3.1

Apply translations (slides) to figures.

Item Specifications

- Vocabulary allowed in items: translation, reflection, rotation, symmetry, congruent, transformation, image, and vocabulary given at previous grades
-

4.3.3.2

Apply reflections (flips) to figures by reflecting over vertical or horizontal lines and relate reflections to lines of symmetry.

Item Specifications

- Vocabulary allowed in items: translation, reflection, rotation, symmetry, congruent, vertical, horizontal, transformation, image, and vocabulary given at previous grades

4.3.3.3

Apply rotations (turns) of 90° clockwise or counterclockwise.

Item Specifications

- Vocabulary allowed in items: translation, reflection, rotation, symmetry, congruent, clockwise, counterclockwise, transformation, image, and vocabulary given at previous grades

4.3.3.4

Recognize that translations, reflections and rotations preserve congruency and use them to show that 2 figures are congruent.

Item Specifications

- Vocabulary allowed in items: translation, reflection, rotation, symmetry, congruent, transformation, image, and vocabulary given at previous grades

Strand 4—Data Analysis

(MCA, 6–8 items)

Standard 4.4.1: Collect, organize, display and interpret data, including data collected over a period of time and data represented by fractions and decimals.

(MCA, 6–8 items)

Benchmarks**4.4.1.1**

Use tables, bar graphs, timelines and Venn diagrams to display data sets. The data may include fractions or decimals. Understand that spreadsheet tables and graphs can be used to display data.

Item Specifications

- Denominators are limited to 2, 3, 4, 5, 6, 8, 10 and 12
- Decimals are limited to hundredths
- When interpreting data, displays may include tables, bar graphs, timelines, Venn diagrams, line plots and pictographs
- Vocabulary allowed in items: timeline, Venn diagram, survey, and vocabulary given at previous grades

Grade 5

Strand 1—Number & Operation

(MCA, 18–22 items)
(MCA-Modified, 11–14 items)

Standard 5.1.1: Divide multi-digit numbers; solve real-world and mathematical problems using arithmetic.

(MCA, 6–8 items)

(MCA-Modified, 4–6 items)

Benchmarks

5.1.1.1

Divide multi-digit numbers using efficient and generalizable procedures based on knowledge of place value, including standard algorithms. Recognize that quotients can be represented in a variety of ways, including a whole number with a remainder, a fraction or mixed number or a decimal.

Item Specifications

- Dividends may not be more than 4 digits
- Divisors may not be more than 2 digits
- Fractional remainders are not required to be given in lowest terms
- Allowable division notation: \div , fraction bar
- Vocabulary allowed in items: remainder, and vocabulary given at previous grades

5.1.1.2

Consider the context in which a problem is situated to select the most useful form of the quotient for the solution and use the context to interpret the quotient appropriately.

Item Specifications

- Dividends may not be more than 4 digits
- Divisors may not be more than 2 digits
- Fractional remainders are not required to be given in lowest terms
- Items may require interpretation of when decimals should be rounded (e.g., with money)
- Vocabulary allowed in items: remainder, and vocabulary given at previous grades

5.1.1.3

Estimate solutions to arithmetic problems in order to assess the reasonableness of results.

Item Specifications

- Assessed within 5.1.1.4

5.1.1.4

Solve real-world and mathematical problems requiring addition, subtraction, multiplication and division of multi-digit whole numbers. Use various strategies, including the inverse relationships between operations, the use of technology and the context of the problem to assess the reasonableness of results.

Item Specifications

- Solutions are less than 1,000,000
- Multiplication is limited to no more than three-digit numbers by no more than three-digit numbers
- Division is limited to no more than four-digit numbers by no more than two-digit numbers
- Fractional remainders are not required to be given in lowest terms
- Vocabulary allowed in items: vocabulary given at previous grades

Standard 5.1.2: Read, write, represent and compare fractions and decimals; recognize and write equivalent fractions; convert between fractions and decimals; use fractions and decimals in real-world and mathematical situations.

(MCA, 6–8 items)

(MCA-Modified, 3–4 items)

Benchmarks**5.1.2.1**

Read and write decimals using place value to describe decimals in terms of groups from millionths to millions.

Item Specifications

- Vocabulary allowed in items: place value, and vocabulary given at previous grades
-

5.1.2.2

Find 0.1 more than a number and 0.1 less than a number. Find 0.01 more than a number and 0.01 less than a number. Find 0.001 more than a number and 0.001 less than a number.

Item Specifications

- Vocabulary allowed in items: place value, and vocabulary given at previous grades
-

5.1.2.3

Order fractions and decimals, including mixed numbers and improper fractions, and locate on a number line.

Item Specifications

- Denominators are limited to 2, 3, 4, 5, 6, 8, 10, 12, 15, 16 and 20
 - Mixed numbers are less than 10
 - Vocabulary allowed in items: place value, and vocabulary given at previous grades
-

5.1.2.4

Recognize and generate equivalent decimals, fractions, mixed numbers and improper fractions in various contexts.

Item Specifications

- Denominators are limited to 2, 3, 4, 5, 6, 8, 10, 12, 15, 16, 20, 25, 50 and 100
- Mixed numbers are less than 10
- Vocabulary allowed in items: place value, and vocabulary given at previous grades

5.1.2.5

Round numbers to the nearest 0.1, 0.01 and 0.001.

Item Specifications

- Numbers can be given up to millionths
- Vocabulary allowed in items: place value, and vocabulary given at previous grades

Standard 5.1.3: Add and subtract fractions, mixed numbers and decimals to solve real-world and mathematical problems.

(MCA, 6–8 items)

(MCA-Modified, 4–6 items)

Benchmarks**5.1.3.1**

Add and subtract decimals and fractions using efficient and generalizable procedures, including standard algorithms.

Item Specifications

- Addends, minuend and subtrahend denominators are limited to 2, 3, 4, 5, 6, 8, 10 and 12
 - Mixed numbers are less than 10
 - Items do not require conversion between fractions and decimals
 - Items must not have context
 - Vocabulary allowed in items: vocabulary given at previous grades
-

5.1.3.2

Model addition and subtraction of fractions and decimals using a variety of representations.

Item Specifications

- Addends, minuend and subtrahend denominators are limited to 2, 3, 4, 5, 6, 8, 10 and 12
 - Mixed numbers are less than 10
 - Items do not require conversion between fractions and decimals
 - Vocabulary allowed in items: vocabulary given at previous grades
-

5.1.3.3

Estimate sums and differences of decimals and fractions to assess the reasonableness of results.

Item Specifications

- Assessed within 5.1.3.4
-

5.1.3.4

Solve real-world and mathematical problems requiring addition and subtraction of decimals, fractions and mixed numbers, including those involving measurement, geometry and data.

Item Specifications

- Addends, minuend and subtrahend denominators are limited to 2, 3, 4, 5, 6, 8, 10 and 12
- Mixed numbers are less than 10
- Fractions and decimals may be used within the same item
- Vocabulary allowed in items: vocabulary given at previous grades

Strand 2—Algebra(MCA, 10–14 items)
(MCA-Modified, 7–9 items)**Standard 5.2.1:** Recognize and represent patterns of change; use patterns, tables, graphs and rules to solve real-world and mathematical problems.

(MCA, 4–6 items)

(MCA-Modified, 3–4 items)

Benchmarks**5.2.1.1**

Create and use rules, tables, spreadsheets and graphs to describe patterns of change and solve problems.

Item Specifications

- In a growing pattern, 3 applications of the rule must be shown, though not necessarily consecutively
- In a table or graph, 3 input-output pairs must be given; pairs are not required to be consecutive
- Vocabulary allowed in items: vocabulary given at previous grades

5.2.1.2

Use a rule or table to represent ordered pairs of positive integers and graph these ordered pairs on a coordinate system.

Item Specifications

- Scale increments on grids are limited to 1, 2 and 5
- Rules may be expressed using variables
- Vocabulary allowed in items: ordered pair, graph, and vocabulary given at previous grades

Standard 5.2.2: Use properties of arithmetic to generate equivalent numerical expressions and evaluate expressions involving whole numbers.

(MCA, 2–3 items)

(MCA-Modified, 1–2 items)

Benchmarks**5.2.2.1**

Apply the commutative, associative and distributive properties and order of operations to generate equivalent numerical expressions and to solve problems involving whole numbers.

Item Specifications

- Expressions may not contain nested parentheses
- Items must not have context
- Vocabulary allowed in items: expression, and vocabulary given at previous grades

Standard 5.2.3: Understand and interpret equations and inequalities involving variables and whole numbers, and use them to represent and solve real-world and mathematical problems.

(MCA, 4–6 items)

(MCA-Modified, 3–4 items)

Benchmarks

5.2.3.1

Determine whether an equation or inequality involving a variable is true or false for a given value of the variable.

Item Specifications

- Allowable symbols: $<$ and $>$
- Items must not have context
- Vocabulary allowed in items: inequality, and vocabulary given at previous grades

5.2.3.2

Represent real-world situations using equations and inequalities involving variables. Create real-world situations corresponding to equations and inequalities.

Item Specifications

- $<$ and $>$ symbols are allowed
- Vocabulary allowed in items: inequality, and vocabulary given at previous grades

5.2.3.3

Evaluate expressions and solve equations involving variables when values for the variables are given.

Item Specifications

- Items must not have context
- Vocabulary allowed in items: expression, and vocabulary given at previous grades

Strand 3—Geometry & Measurement

(MCA, 8–10 items)
(MCA-Modified, 6–8 items)

Standard 5.3.1: Describe, classify, and draw representations of three-dimensional figures.

(MCA, 3–4 items)

(MCA-Modified, 2–3 items)

Benchmarks

5.3.1.1

Describe and classify three-dimensional figures including cubes, prisms and pyramids by the number of edges, faces or vertices as well as the types of faces.

Item Specifications

- Prisms and pyramids are limited to triangular, rectangular, pentagonal, hexagonal and octagonal
- Vocabulary allowed in items: cube, prism, pyramid, cone, cylinder, edge, face, base, three-dimensional, triangular, rectangular, and vocabulary given at previous grades

5.3.1.2

Recognize and draw a net for a three-dimensional figure.

Item Specifications

- Vocabulary allowed in items: net, cylinder, cube, prism, pyramid, edge, face, base, three-dimensional, triangular, rectangular, and vocabulary given at previous grades

Standard 5.3.2: Determine the area of triangles and quadrilaterals; determine the surface area and volume of rectangular prisms in various contexts.

(MCA, 5–6 items)

(MCA-Modified, 4–5 items)

Benchmarks

5.3.2.1

Develop and use formulas to determine the area of triangles, parallelograms and figures that can be decomposed into triangles.

Item Specifications

- Vocabulary allowed in items: formula, and vocabulary given at previous grades
-

5.3.2.2

Use various tools and strategies to measure the volume and surface area of objects that are shaped like rectangular prisms.

Item Specifications

- When finding surface area, a graphic of the prism or net must be given
 - When finding surface area, dimensions of figures are whole numbers
 - Surface areas and volumes are no more than 360
 - Vocabulary allowed in items: surface area, volume, net, and vocabulary given at previous grades
-

5.3.2.3

Understand that the volume of a three-dimensional figure can be found by counting the total number of same-sized cubic units that fill a shape without gaps or overlaps. Use cubic units to label volume measurements.

Item Specifications

- Assessed within 5.3.2.2
-

5.3.2.4

Develop and use the formulas $V = lwh$ and $V = Bh$ to determine the volume of rectangular prisms. Justify why base area B and height h are multiplied to find the volume of a rectangular prism by breaking the prism into layers of unit cubes.

Item Specifications

- The definition of B as the area of the base must be given
- Vocabulary allowed in items: volume, base, height, and vocabulary given at previous grades

Strand 4—Data Analysis(MCA, 6–8 items)
(MCA-Modified, 6–8 items)**Standard 5.4.1:** Display and interpret data; determine mean, median and range.

(MCA, 6–8 items)

(MCA-Modified, 6–8 items)

Benchmarks**5.4.1.1**

Know and use the definitions of the mean, median and range of a set of data. Know how to use a spreadsheet to find the mean, median and range of a data set. Understand that the mean is a "leveling out" of data.

Item Specifications

- When finding mean, data sets contain, at most 10 numbers
- When finding median, data sets contain, at most 15 numbers
- Numbers are less than 300
- Vocabulary allowed in items: mean, median, range, minimum, maximum, and vocabulary given at previous grades

5.4.1.2

Create and analyze double-bar graphs and line graphs by applying understanding of whole numbers, fractions and decimals. Know how to create spreadsheet tables and graphs to display data.

Item Specifications

- Double-bar graphs have no more than 9 categories
- Line graphs have no more than 10 data points
- Scales are in increments of $\frac{1}{2}$, 1, 2, 4, 5, 10, tenths if in decimal form or must be consistent with real world applications
- Vocabulary allowed in items: double-bar graph, line graph, and vocabulary given at previous grades

Grade 6**Strand 1—Number & Operation**(MCA, 14–19 items)
(MCA-Modified, 9–12 items)

Standard 6.1.1: Read, write, represent and compare positive rational numbers expressed as fractions, decimals, percents and ratios; write positive integers as products of factors; use these representations in real-world and mathematical situations.

(MCA, 5–7 items)

(MCA-Modified, 4–7 items)

Benchmarks**6.1.1.1**

Locate positive rational numbers on a number line and plot pairs of positive rational numbers on a coordinate grid.

Item Specifications

- Both axes must have the same scale
- Items may require locating points on either axis
- Vocabulary allowed in items: integer, x -axis, y -axis, horizontal axis, vertical axis, rational number, coordinate grid, and vocabulary given at previous grades

6.1.1.2

Compare positive rational numbers represented in various forms. Use the symbols $<$, $=$ and $>$.

Item Specifications

- Vocabulary allowed in items: is greater than, is less than, and vocabulary given at previous grades

6.1.1.3

Understand that percent represents parts out of 100 and ratios to 100.

Item Specifications

- Allowable notation: 25%, $\frac{1}{4}$, 1:4
- Percents must be between 1 and 100, inclusive
- Vocabulary allowed in items: percent, ratio, and vocabulary given at previous grades

6.1.1.4

Determine equivalences among fractions, decimals and percents; select among these representations to solve problems.

Item Specifications

- Allowable notation: 50%, $\frac{1}{4}$, 0.95, $0.\overline{25}$
- Percents must be between 1 and 100, inclusive
- Vocabulary allowed in items: vocabulary given at previous grades

6.1.1.5

Factor whole numbers; express a whole number as a product of prime factors with exponents.

Item Specifications

- Prime factors are not greater than 13
- Numbers being factored are less than 1,000
- Vocabulary allowed in items: prime factor, prime factorization, exponent, power, base, and vocabulary given at previous grades

6.1.1.6

Determine greatest common factors and least common multiples. Use common factors and common multiples to calculate with fractions and find equivalent fractions.

Item Specifications

- Vocabulary allowed in items: greatest common factor, least common multiple, and vocabulary given at previous grades
-

6.1.1.7

Convert between equivalent representations of positive rational numbers.

Item Specifications

- Conversions are limited to within a representation (e.g., $7/4 = 1\frac{3}{4}$ and $3^2 = 3 \cdot 3$, not $0.5 = 1/2$)
- Vocabulary allowed in items: exponent, integer, and vocabulary given at previous grades

Standard 6.1.2: Understand the concept of ratio and its relationship to fractions and to the multiplication and division of whole numbers. Use ratios to solve real-world and mathematical problems.

(MCA, 2–6 items)

(MCA-Modified, 1–3 items)

Benchmarks**6.1.2.1**

Identify and use ratios to compare quantities; understand that comparing quantities using ratios is not the same as comparing quantities using subtraction.

Item Specifications

- Allowable ratio notation: $\frac{1}{4}$, 1 to 4, 1:4, 1 out of 4
 - Vocabulary allowed in items: ratio, and vocabulary given at previous grades
-

6.1.2.2

Apply the relationship between ratios, equivalent fractions and percents to solve problems in various contexts, including those involving mixtures and concentrations.

Item Specifications

- Allowable ratio notation: $\frac{1}{4}$, 1 to 4, 1:4, 1 out of 4, 25%
 - Rates may be expressed using the word “per”
 - Vocabulary allowed in items: ratio, percent, and vocabulary given at previous grades
-

6.1.2.3

Determine the rate for ratios of quantities with different units.

Item Specifications

- Allowable ratio notation: $\frac{1}{4}$, 1 to 4, 1:4, 1 out of 4
 - Rates may be expressed using the word “per”
 - Vocabulary allowed in items: rate, ratio, unit rate, and vocabulary given at previous grades
-

6.1.2.4

Use reasoning about multiplication and division to solve ratio and rate problems.

Item Specifications

- Allowable ratio notation: $\frac{1}{4}$, 1 to 4, 1:4, 1 out of 4
- Rates may be expressed using the word “per”
- Vocabulary allowed in items: rate, ratio, and vocabulary given at previous grades

Standard 6.1.3: Multiply and divide decimals, fractions and mixed numbers; solve real-world and mathematical problems using arithmetic with positive rational numbers.

(MCA, 5–7 items)

(MCA-Modified, 3–5 items)

Benchmarks

6.1.3.1

Multiply and divide decimals and fractions using efficient and generalizable procedures, including standard algorithms.

Item Specifications

- Items must not have context
 - Vocabulary allowed in items: reciprocal, and vocabulary given at previous grades
-

6.1.3.2

Use the meanings of fractions, multiplication, division and the inverse relationship between multiplication and division to make sense of procedures for multiplying and dividing fractions.

Item Specifications

- Assessed within 6.1.3.1
-

6.1.3.3

Calculate the percent of a number and determine what percent one number is of another number to solve problems in various contexts.

Item Specifications

- Percents are not less than 1
 - Percents over 100 are 110, 125, 150 and 200
 - Vocabulary allowed in items: percent, and vocabulary given at previous grades
-

6.1.3.4

Solve real-world and mathematical problems requiring arithmetic with decimals, fractions and mixed numbers.

Item Specifications

- Items are limited to no more than two operations
 - Vocabulary allowed in items: reciprocal, and vocabulary given at previous grades
-

6.1.3.5

Estimate solutions to problems with whole numbers, fractions and decimals and use the estimates to assess the reasonableness of results in the context of the problem.

Item Specifications

- Assessed within 6.1.3.

Strand 2—Algebra(MCA, 12–16 items)
(MCA-Modified, 8–11 items)

Standard 6.2.1: Recognize and represent relationships between varying quantities; translate from one representation to another; use patterns, tables, graphs and rules to solve real-world and mathematical problems.

(MCA, 4–5 items)

(MCA-Modified, 2–3 items)

Benchmarks**6.2.1.1**

Understand that a variable can be used to represent a quantity that can change, often in relation to another changing quantity. Use variables in various contexts.

Item Specifications

- Allowable multiplication notation: $3x$, xy , $3 \cdot 4$, $3(4)$
- Equations will not contain exponents
- Vocabulary allowed in items: evaluate, and vocabulary given at previous grades

6.2.1.2

Represent the relationship between two varying quantities with function rules, graphs and tables; translate between any two of these representations.

Item Specifications

- Allowable multiplication notation: $3x$, xy , $3 \cdot 4$, $3(4)$
- Equations will not contain exponents
- Vocabulary allowed in items: translate, function, coordinate grid, and vocabulary given at previous grades

Standard 6.2.2: Use properties of arithmetic to generate equivalent numerical expressions and evaluate expressions involving positive rational numbers.

(MCA, 2–3 items)

(MCA-Modified, 1–2 items)

Benchmarks**6.2.2.1**

Apply the associative, commutative and distributive properties and order of operations to generate equivalent expressions and to solve problems involving positive rational numbers.

Item Specifications

- Allowable multiplication notation: $3x$, xy , $3 \cdot 4$, $3(4)$
- Items must not have context
- Vocabulary allowed in items: order of operations, simplify, and vocabulary given at previous grades

Standard 6.2.3: Understand and interpret equations and inequalities involving variables and positive rational numbers. Use equations and inequalities to represent real-world and mathematical problems; use the idea of maintaining equality to solve equations. Interpret solutions in the original context.

(MCA, 6–8 items)

(MCA-Modified, 5–7 items)

Benchmarks

6.2.3.1

Represent real-world or mathematical situations using equations and inequalities involving variables and positive rational numbers.

Item Specifications

- Allowable multiplication notation: $3x$, xy , $3 \cdot 4$, $3(4)$, x^2
- $<$, $>$ and $=$ symbols are allowed
- Vocabulary allowed in items: vocabulary given at previous grades

6.2.3.2

Solve equations involving positive rational numbers using number sense, properties of arithmetic and the idea of maintaining equality on both sides of the equation. Interpret a solution in the original context and assess the reasonableness of results.

Item Specifications

- Allowable multiplication notation: $3x$, xy , $3 \cdot 4$, $3(4)$, x^2
- Vocabulary allowed in items: reasonable, and vocabulary given at previous grades

Strand 3—Geometry & Measurement

(MCA, 10–12 items)
(MCA-Modified, 7–9 items)

Standard 6.3.1: Calculate perimeter, area, surface area and volume of two- and three-dimensional figures to solve real-world and mathematical problems.

(MCA, 3–5 items)

(MCA-Modified, 3–4 items)

Benchmarks

6.3.1.1

Calculate the surface area and volume of prisms and use appropriate units, such as cm^2 and cm^3 . Justify the formulas used. Justification may involve decomposition, nets or other models.

Item Specifications

- Allowable notation: 3 square centimeters, 3 cm sq, 3 cm^2
- Vocabulary allowed in items: vocabulary given at previous grades

6.3.1.2

Calculate the area of quadrilaterals. Quadrilaterals include squares, rectangles, rhombuses, parallelograms, trapezoids and kites. When formulas are used, be able to explain why they are valid.

Item Specifications

- Congruent side marks (hash marks) may be used
- Allowable notation: 3 square centimeters, 3 cm sq, 3 cm^2
- Vocabulary allowed in items: vocabulary given at previous grades

6.3.1.3

Estimate the perimeter and area of irregular figures on a grid when they cannot be decomposed into common figures and use correct units, such as cm and cm^2 .

Item Specifications

- Allowable notation: 3 square centimeters, 3 cm sq, 3 cm^2
- Vocabulary allowed in items: vocabulary given at previous grades

Standard 6.3.2: Understand and use relationships between angles in geometric figures.

(MCA, 3–5 items)

(MCA-Modified, 3–4 items)

Benchmarks**6.3.2.1**

Solve problems using the relationships between the angles formed by intersecting lines.

Item Specifications

- Allowable notation: $\angle A$, $m\angle A$, $\triangle ABC$
- Vocabulary allowed in items: intersecting, vertical, adjacent, complementary, supplementary, straight, hypotenuse, leg, and vocabulary given at previous grades

6.3.2.2

Determine missing angle measures in a triangle using the fact that the sum of the interior angles of a triangle is 180° . Use models of triangles to illustrate this fact.

Item Specifications

- Allowable notation: $\angle A$, $m\angle A$, $\triangle ABC$
- Vocabulary allowed in items: adjacent, complementary, supplementary, interior, exterior, hypotenuse, leg, and vocabulary given at previous grades

6.3.2.3

Develop and use formulas for the sums of the interior angles of polygons by decomposing them into triangles.

Item Specifications

- Allowable notation: $\angle A$, $m\angle A$, $\triangle ABC$
- Vocabulary allowed in items: interior, diagonal, and vocabulary given at previous grades

Standard 6.3.3: Choose appropriate units of measurement and use ratios to convert within measurement systems to solve real-world and mathematical problems.

(MCA, 2–3 items)

(MCA-Modified, 1–2 items)

Benchmarks**6.3.3.1**

Solve problems in various contexts involving conversion of weights, capacities, geometric measurements and times within measurement systems using appropriate units.

Item Specifications

- Vocabulary allowed in items: customary, metric, capacity, and vocabulary given at previous grades

6.3.3.2

Estimate weights, capacities and geometric measurements using benchmarks in measurement systems with appropriate units.

Item Specifications

- Vocabulary allowed in items: customary, metric, capacity, and vocabulary given at previous grades

Strand 4—Data Analysis & Probability

(MCA, 6–8 items)

(MCA-Modified, 6–8 items)

Standard 6.4.1: Use probabilities to solve real-world and mathematical problems; represent probabilities using fractions, decimals and percents.

(MCA, 6–8 items)

(MCA-Modified, 6–8 items)

Benchmarks**6.4.1.1**

Determine the sample space (set of possible outcomes) for a given experiment and determine which members of the sample space are related to certain events. Sample space may be determined by the use of tree diagrams, tables or pictorial representations.

Item Specifications

- Size of the sample space will not exceed 36
- Vocabulary allowed in items: probability, outcome, tree diagram, event, random, sample space, combinations, and vocabulary given at previous grades

6.4.1.2

Determine the probability of an event using the ratio between the size of the event and the size of the sample space; represent probabilities as percents, fractions and decimals between 0 and 1 inclusive. Understand that probabilities measure likelihood.

Item Specifications

- Size of the sample space is no more than 100
- Vocabulary allowed in items: probability, outcome, event, likely, unlikely, certain, impossible, ratio, random, sample space, and vocabulary given at previous grades

6.4.1.3

Perform experiments for situations in which the probabilities are known, and compare the resulting relative frequencies with the known probabilities; know that there may be differences.

Item Specifications

- Vocabulary allowed in items: probability, outcome, event, theoretical, frequency, relative frequency, random, and vocabulary given at previous grades

6.4.1.4

Calculate experimental probabilities from experiments; represent them as percents, fractions and decimals between 0 and 1 inclusive. Use experimental probabilities to make predictions when actual probabilities are unknown.

Item Specifications

- Size of the sample space is no more than 100
- Vocabulary allowed in items: probability, outcome, event, experimental, frequency, predict, random, and vocabulary given at previous grades

Grade 7

Strand 1—Number & Operation

(MCA, 12–16 items)
(MCA-Modified, 7–9 items)

Standard 7.1.1: Read, write, represent and compare positive and negative rational numbers, expressed as integers, fractions and decimals.

(MCA, 4–6 items)

(MCA-Modified, 2–4 items)

Benchmarks

7.1.1.1

Know that every rational number can be written as the ratio of two integers or as a terminating or repeating decimal. Recognize that π is not rational, but that it can be approximated by rational numbers such as $22/7$ and 3.14 .

Item Specifications

- Allowable notation: , π (written as a symbol, not as “pi”)
- Vocabulary allowed in items: terminating, repeating, and vocabulary given at previous grades

7.1.1.2

Understand that division of two integers will always result in a rational number. Use this information to interpret the decimal result of a division problem when using a calculator.

Item Specifications

- Vocabulary allowed in items: terminating, repeating, and vocabulary given at previous grades

7.1.1.3

Locate positive and negative rational numbers on a number line, understand the concept of opposites, and plot pairs of positive and negative rational numbers on a coordinate grid.

Item Specifications

- Vocabulary allowed in items: opposite, coordinate, origin, and vocabulary given at previous grades

7.1.1.4

Compare positive and negative rational numbers expressed in various forms using the symbols $<$, $>$, $=$, \leq , and \geq .

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

7.1.1.5

Recognize and generate equivalent representations of positive and negative rational numbers, including equivalent fractions.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

Standard 7.1.2: Calculate with positive and negative rational numbers, and rational numbers with whole number exponents, to solve real-world and mathematical problems.

(MCA, 8–10 items)

(MCA-Modified, 4–7 items)

Benchmarks

7.1.2.1

Add, subtract, multiply and divide positive and negative rational numbers that are integers, fractions and terminating decimals; use efficient and generalizable procedures, including standard algorithms; raise positive rational numbers to whole-number exponents.

Item Specifications

- Items must not have context
 - Vocabulary allowed in items: vocabulary given at previous grades
-

7.1.2.2

Use real-world contexts and the inverse relationship between addition and subtraction to explain why the procedures of arithmetic with negative rational numbers make sense.

Item Specifications

- Vocabulary allowed in items: inverse and vocabulary given at previous grades
-

7.1.2.3

Understand that calculators and other computing technologies often truncate or round numbers.

Item Specifications

- Assessed within 7.1.2.4
-

7.1.2.4

Solve problems in various contexts involving calculations with positive and negative rational numbers and positive integer exponents, including computing simple and compound interest.

Item Specifications

- Vocabulary allowed in items: simple interest, compound interest, and vocabulary given at previous grades
-

7.1.2.5

Use proportional reasoning to solve problems involving ratios in various contexts.

Item Specifications

- Vocabulary allowed in items: proportion and vocabulary given at previous grades
-

7.1.2.6

Demonstrate an understanding of the relationship between the absolute value of a rational number and distance on a number line. Use the symbol for absolute value.

Item Specifications

- Vocabulary allowed in items: absolute value and vocabulary given at previous grades

Strand 2—Algebra(MCA, 16–20 items)
(MCA-Modified, 9–12 items)**Standard 7.2.1:** Understand the concept of proportionality in real-world and mathematical situations, and distinguish between proportional and other relationships.

(MCA, 1–2 items)

(MCA-Modified, 1–2 items)

Benchmarks**7.2.1.1**

Understand that a relationship between two variables, x and y , is proportional if it can be expressed in the form $y/x = k$ or $y = kx$. Distinguish proportional relationships from other relationships, including inversely proportional relationships ($xy = k$ or $y = k/x$).

Item Specifications

- Vocabulary allowed in items: proportional, inversely, and vocabulary given at previous grades

7.2.1.2

Understand that the graph of a proportional relationship is a line through the origin whose slope is the unit rate (constant of proportionality). Know how to use graphing technology to examine what happens to a line when the unit rate is changed.

Item Specifications

- Vocabulary allowed in items: proportional, origin, slope, and vocabulary given at previous grades

Standard 7.2.2: Recognize proportional relationships in real-world and mathematical situations; represent these and other relationships with tables, verbal descriptions, symbols and graphs; solve problems involving proportional relationships and explain results in the original context.

(MCA, 6–8 items)

(MCA-Modified, 3–4 items)

Benchmarks**7.2.2.1**

Represent proportional relationships with tables, verbal descriptions, symbols, equations and graphs; translate from one representation to another. Determine the unit rate (constant of proportionality or slope) given any of these representations.

Item Specifications

- Vocabulary allowed in items: proportional, origin, slope, and vocabulary given at previous grades

7.2.2.2

Solve multi-step problems involving proportional relationships in numerous contexts.

Item Specifications

- Contexts may include (but are not limited to) discounts, tax, and percent of change
- Vocabulary allowed in items: proportional and vocabulary given at previous grades

7.2.2.3

Use knowledge of proportions to assess the reasonableness of solutions.

Item Specifications

- Assessed within 7.2.2.1 and 7.2.2.2

7.2.2.4

Represent real-world or mathematical situations using equations and inequalities involving variables and positive and negative rational numbers.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

Standard 7.2.3: Apply understanding of order of operations and algebraic properties to generate equivalent numerical and algebraic expressions containing positive and negative rational numbers and grouping symbols; evaluate such expressions.

(MCA, 4–6 items)

(MCA-Modified, 2–4 items)

Benchmarks**7.2.3.1**

Use properties of algebra to generate equivalent numerical and algebraic expressions containing rational numbers, grouping symbols and whole number exponents. Properties of algebra include associative, commutative and distributive laws.

Item Specifications

- Items must not have context
- Vocabulary allowed in items: simplify and vocabulary given at previous grades

7.2.3.2

Evaluate algebraic expressions containing rational numbers and whole number exponents at specified values of their variables.

Item Specifications

- Expressions contain no more than 3 variables
- Vocabulary allowed in items: evaluate, substitute, and vocabulary given at previous grades

7.2.3.3

Apply understanding of order of operations and grouping symbols when using calculators and other technologies.

Item Specifications

- Assessed within 7.2.3.1 and 7.2.3.2

Standard 7.2.4: Represent real-world and mathematical situations using equations with variables. Solve equations symbolically, using the properties of equality. Also solve equations graphically and numerically. Interpret solutions in the original context.

(MCA, 4–6 items)

(MCA-Modified, 2–4 items)

Benchmarks**7.2.4.1**

Represent relationships in various contexts with equations involving variables and positive and negative rational numbers. Use the properties of equality to solve for the value of a variable. Interpret the solution in the original context.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

7.2.4.2

Solve equations resulting from proportional relationships in various contexts.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

Strand 3—Geometry & Measurement

(MCA, 8–10 items)

(MCA-Modified, 7–9 items)

Standard 7.3.1: Use reasoning with proportions and ratios to determine measurements, justify formulas and solve real-world and mathematical problems involving circles and related geometric figures.

(MCA, 4–5 items)

(MCA-Modified, 3–6 items)

Benchmarks**7.3.1.1**

Demonstrate an understanding of the proportional relationship between the diameter and circumference of a circle and that the unit rate (constant of proportionality) is π . Calculate the circumference and area of circles to solve problems in various contexts.

Item Specifications

- Allowable notation: π (written as a symbol, not as “pi”)
- Items may assess finding the area and arc length of a sector
- Items do not assess finding the perimeter of a sector
- Vocabulary allowed in items: radius, diameter, circumference, and vocabulary given at previous grades

7.3.1.2

Calculate the volume and surface area of cylinders and justify the formulas used.

Item Specifications

- Units must be consistent throughout an item; conversions are not allowed
- Vocabulary allowed in items: radius, diameter, circumference, cylinder, lateral area, and vocabulary given at previous grades

Standard 7.3.2: Analyze the effect of change of scale, translations and reflections on the attributes of two-dimensional figures.

(MCA, 4–5 items)

(MCA-Modified, 3–6 items)

Benchmarks**7.3.2.1**

Describe the properties of similarity, compare geometric figures for similarity and determine scale factors.

Item Specifications

- Allowable notation: \sim (similar), \cong (congruent), \overline{FG} (segment FG), FG (length of segment FG)
- Vocabulary allowed in items: similar, corresponding, scale factor, and vocabulary given at previous grades

7.3.2.2

Apply scale factors, length ratios and area ratios to determine side lengths and areas of similar geometric figures.

Item Specifications

- Allowable notation: \sim (similar), \cong (congruent), \overline{FG} (segment FG), FG (length of segment FG)
- Vocabulary allowed in items: similar, corresponding, scale factor, and vocabulary given at previous grades

7.3.2.3

Use proportions and ratios to solve problems involving scale drawings and conversions of measurement units.

Item Specifications

- Conversions are limited to no more than 2 per item
- Vocabulary allowed in items: similar, corresponding, scale drawing, conversion, and vocabulary given at previous grades

7.3.2.4

Graph and describe translations and reflections of figures on a coordinate grid, and determine the coordinates of the vertices of the figure after the transformation.

Item Specifications

- Allowable notation: J and J' (labels for points before and after transformation)
- Allowable translation notation: $(x, y) \rightarrow (x + 3, y - 2)$
- Images may be reflected over vertical lines, horizontal lines and the lines $y = x$ and $y = -x$
- Vocabulary allowed in items: vocabulary given at previous grades

Strand 4—Data Analysis & Probability

(MCA, 8–10 items)
(MCA-Modified, 8–10 items)

Standard 7.4.1: Use mean, median and range to draw conclusions about data and make predictions.

(MCA, 3–5 items)

(MCA-Modified, 3–5 items)

Benchmarks**7.4.1.1**

Design simple experiments, and collect data. Determine mean, median and range for quantitative data and from data represented in a display. Use these quantities to draw conclusions about the data, compare different data sets and make predictions.

Item Specifications

- Data displays are limited to no more than 10 categories
- Data displays from previous grades may be used
- Vocabulary allowed in items: stem-and-leaf plot, and vocabulary given at previous grades

7.4.1.2

Describe the impact that inserting or deleting a data point has on the mean and the median of a data set. Know how to create data displays using a spreadsheet to examine this impact.

Item Specifications

- Data sets are limited to no more than 10 data points
- Vocabulary allowed in items: outlier and vocabulary given at previous grades

Standard 7.4.2: Display and interpret data in a variety of ways, including circle graphs and histograms.

(MCA, 1–2 items)

(MCA-Modified, 1–2 items)

Benchmarks**7.4.2.1**

Use reasoning with proportions to display and interpret data in circle graphs (pie charts) and histograms. Choose the appropriate data display and know how to create the display using a spreadsheet or other graphing technology.

Item Specifications

- Circle graphs have no more than 6 sectors
- Histograms have no more than 5 intervals
- Vocabulary allowed in items: circle graph, histogram, frequency table, and vocabulary given at previous grades

Standard 7.4.3: Calculate probabilities and reason about probabilities using proportions to solve real-world and mathematical problems.

(MCA, 3–5 items)

(MCA-Modified, 3–5 items)

Benchmarks**7.4.3.1**

Use random numbers generated by a calculator or a spreadsheet or taken from a table to simulate situations involving randomness, make a histogram to display the results and compare the results to known probabilities.

Item Specifications

- Not assessed on the MCA-III

7.4.3.2

Calculate probability as a fraction of sample space or as a fraction of area. Express probabilities as percents, decimals and fractions.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

7.4.3.3

Use proportional reasoning to draw conclusions about and predict relative frequencies of outcomes based on probabilities.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

Grade 8

Strand 1—Number & Operation

(MCA, 6–8 items)
(MCA-Modified, 6–7 items)

Standard 8.1.1: Read, write, compare, classify and represent real numbers, and use them to solve problems in various contexts.

(MCA, 6–8 items)

(MCA-Modified, 6–7 items)

Benchmarks

8.1.1.1

Classify real numbers as rational or irrational. Know that when a square root of a positive integer is not an integer, then it is irrational. Know that the sum of a rational number and an irrational number is irrational, and the product of a non-zero rational number and an irrational number is irrational.

Item Specifications

- Allowable notation: $\sqrt{18}$
- Vocabulary allowed in items: irrational, real, square root, radical, and vocabulary given at previous grades

8.1.1.2

Compare real numbers; locate real numbers on a number line. Identify the square root of a positive integer as an integer, or if it is not an integer, locate it as a real number between two consecutive positive integers.

Item Specifications

- Allowable notation: $\sqrt{18}$
- Vocabulary allowed in items: square root, radical, consecutive, and vocabulary given at previous grades

8.1.1.3

Determine rational approximations for solutions to problems involving real numbers.

Item Specifications

- Allowable notation: $\sqrt{18}$
- Vocabulary allowed in items: square root, radical, consecutive, and vocabulary given at previous grades

8.1.1.4

Know and apply the properties of positive and negative integer exponents to generate equivalent numerical expressions.

Item Specifications

- Allowable notation: $-x^2$, $(-x)^2$, -3^2 , $(-3)^2$
- Expressions may be numeric or algebraic
- Vocabulary allowed in items: vocabulary given at previous grades

8.1.1.5

Express approximations of very large and very small numbers using scientific notation; understand how calculators display numbers in scientific notation. Multiply and divide numbers expressed in scientific notation, and express the answer in scientific notation, using the correct number of significant digits when physical measurements are involved.

Item Specifications

- Vocabulary allowed in items: scientific notation, significant digits, standard form, and vocabulary given at previous grades

Strand 2—Algebra

(MCA, 24–30 items)
(MCA-Modified, 14–17 items)

Standard 8.2.1: Understand the concept of function in real-world and mathematical situations, and distinguish between linear and non-linear functions.

(MCA, 4–5 items)

(MCA-Modified, 2–4 items)

Benchmarks**8.2.1.1**

Understand that a function is a relationship between an independent variable and a dependent variable in which the value of the independent variable determines the value of the dependent variable. Use functional notation, such as $f(x)$, to represent such relationships.

Item Specifications

- Vocabulary allowed in items: independent, dependent, constant, coefficient, and vocabulary given at previous grades

8.2.1.2

Use linear functions to represent relationships in which changing the input variable by some amount leads to a change in the output variable that is a constant times that amount.

Item Specifications

- Vocabulary allowed in items: independent, dependent, constant, coefficient, and vocabulary given at previous grades

8.2.1.3

Understand that a function is linear if it can be expressed in the form $f(x) = mx + b$ or if its graph is a straight line.

Item Specifications

- Vocabulary allowed in items: linear, constant, coefficient, and vocabulary given at previous grades

8.2.1.4

Understand that an arithmetic sequence is a linear function that can be expressed in the form $f(x) = mx + b$, where $x = 0, 1, 2, 3, \dots$

Item Specifications

- Vocabulary allowed in items: n^{th} term, arithmetic sequence, geometric sequence, linear function, non-linear function, progression, common difference, and vocabulary given at previous grades
- Allowable notation: items must specify the domain as $x=1, 2, 3, 4, \dots$ or $x = 1, 2, 3, 4, \dots$

8.2.1.5

Understand that a geometric sequence is a non-linear function that can be expressed in the form $f(x) = ab^x$, where $x = 0, 1, 2, 3, \dots$

Item Specifications

- Vocabulary allowed in items: n^{th} term, arithmetic sequence, geometric sequence, linear function, non-linear function, exponential, progression, common ratio, and vocabulary given at previous grades
- Allowable notation: items must specify the domain as $x=1, 2, 3, 4, \dots$ or $x = 1, 2, 3, 4, \dots$

Standard 8.2.2: Recognize linear functions in real-world and mathematical situations; represent linear functions and other functions with tables, verbal descriptions, symbols and graphs; solve problems involving these functions and explain results in the original context. (MCA, 4–6 items)

(MCA-Modified, 2–4 items)

Benchmarks**8.2.2.1**

Represent linear functions with tables, verbal descriptions, symbols, equations and graphs; translate one representation to another.

Item Specifications

- Vocabulary allowed in items: linear function, and vocabulary given at previous grades

8.2.2.2

Identify graphical properties of linear functions including slopes and intercepts. Know that the slope equals the rate of change and that the y -intercept is zero when the function represents a proportional relationship.

Item Specifications

- Coordinates used for determining slope must contain integer values
- Vocabulary allowed in items: linear function, intercept, and vocabulary given at previous grades

8.2.2.3

Identify how coefficient changes in the equation $f(x) = mx + b$ affect the graphs of linear functions. Know how to use graphing technology to examine these effects.

Item Specifications

- Vocabulary allowed in items: linear function, intercept, coefficient, constant, and vocabulary given at previous grades

8.2.2.4

Represent arithmetic sequences using equations, tables, graphs and verbal descriptions, and use them to solve problems.

Item Specifications

- Vocabulary allowed in items: n^{th} term, arithmetic sequence, geometric sequence, linear function, non-linear function, progression, and vocabulary given at previous grades

8.2.2.5

Represent geometric sequences using equations, tables, graphs and verbal descriptions, and use them to solve problems.

Item Specifications

- Vocabulary allowed in items: n^{th} term, arithmetic sequence, geometric sequence, linear function, non-linear function, progression, and vocabulary given at previous grades

Standard 8.2.3: Generate equivalent numerical and algebraic expressions and use algebraic properties to evaluate expressions.

(MCA, 3–5 items)

(MCA-Modified, 2–4 items)

Benchmarks**8.2.3.1**

Evaluate algebraic expressions, including expressions containing radicals and absolute values, at specified values of their variables.

Item Specifications

- Items must not have context
- Directives may include: simplify, evaluate
- Vocabulary allowed in items: vocabulary given at previous grades

8.2.3.2

Justify steps in generating equivalent expressions by identifying the properties used, including the properties of algebra. Properties include the associative, commutative and distributive laws and the order of operations, including grouping symbols.

Item Specifications

- Items must not have context
- Vocabulary allowed in items: associative, commutative, distributive, identity, property, order of operations, and vocabulary given at previous grades

Standard 8.2.4: Represent real-world and mathematical situations using equations and inequalities involving linear expressions. Solve equations and inequalities symbolically and graphically. Interpret solutions in the original context.

(MCA, 10–15 items)

(MCA-Modified, 7–9 items)

Benchmarks**8.2.4.1**

Use linear equations to represent situations involving a constant rate of change, including proportional and non-proportional relationships.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

8.2.4.2

Solve multi-step equations in one variable. Solve for one variable in a multi-variable equation in terms of the other variables. Justify the steps by identifying the properties of equalities used.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

8.2.4.3

Express linear equations in slope-intercept, point-slope and standard forms, and convert between these forms. Given sufficient information, find an equation of a line.

Item Specifications

- Items must not have context
 - Vocabulary allowed in items: slope-intercept form, point-slope form, standard form, and vocabulary given at previous grades
-

8.2.4.4

Use linear inequalities to represent relationships in various contexts.

Item Specifications

- Inequalities contain no more than 1 variable
 - Vocabulary allowed in items: vocabulary given at previous grades
-

8.2.4.5

Solve linear inequalities using properties of inequalities. Graph the solutions on a number line.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades
-

8.2.4.6

Represent relationships in various contexts with equations and inequalities involving the absolute value of a linear expression. Solve such equations and inequalities, and graph the solutions on a number line.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades
-

8.2.4.7

Represent relationships in various contexts using systems of linear equations. Solve systems of linear equations in two variables symbolically, graphically and numerically.

Item Specifications

- Vocabulary allowed in items: system of equations, undefined, infinite, intersecting, identical, and vocabulary given at previous grades
-

8.2.4.8

Understand that a system of linear equations may have no solution, one solution or an infinite number of solutions. Relate the number of solutions to pairs of lines that are intersecting, parallel or identical. Check whether a pair of numbers satisfies a system of two linear equations in two unknowns by substituting the numbers in both equations.

Item Specifications

- Assessed within 8.2.4.7
-

8.2.4.9

Use the relationship between square roots and squares of a number to solve problems.

Item Specifications

- Allowable notation: ± 3
- Items may assess the interpretation of square roots based on the context of the item
- Vocabulary allowed in items: square root and vocabulary given at previous grades

Strand 3—Geometry & Measurement

(MCA, 8–10 items)
(MCA-Modified, 6–7 items)

Standard 8.3.1: Solve problems involving right triangles using the Pythagorean Theorem and its converse.

(MCA, 3–5 items)

(MCA-Modified, 3–4 items)

Benchmarks

8.3.1.1

Use the Pythagorean Theorem to solve problems involving right triangles.

Item Specifications

- Congruent angle marks may be used
- Vocabulary allowed in items: Pythagorean Theorem and vocabulary given at previous grades

8.3.1.2

Determine the distance between two points on a horizontal or vertical line in a coordinate system. Use the Pythagorean Theorem to find the distance between any two points in a coordinate system.

Item Specifications

- Graphs are not provided when finding horizontal or vertical distance
- Vocabulary allowed in items: Pythagorean Theorem and vocabulary given at previous grades

8.3.1.3

Informally justify the Pythagorean Theorem by using measurements, diagrams and computer software.

Item Specifications

- Not assessed on the MCA-III

Standard 8.3.2: Solve problems involving parallel and perpendicular lines on a coordinate system.

(MCA, 3–5 items)

(MCA-Modified, 3–4 items)

Benchmarks

8.3.2.1

Understand and apply the relationships between the slopes of parallel lines and between the slopes of perpendicular lines. Dynamic graphing software may be used to examine these relationships.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

8.3.2.2

Analyze polygons on a coordinate system by determining the slopes of their sides.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

8.3.2.3

Given a line on a coordinate system and the coordinates of a point not on the line, find lines through that point that are parallel and perpendicular to the given line symbolically and graphically.

Item Specifications

- Vocabulary allowed in items: vocabulary given at previous grades

Strand 4—Data Analysis & Probability

(MCA, 6–8 items)

(MCA-Modified, 6–7 items)

Standard 8.4.1: Interpret data using scatterplots and approximate lines of best fit. Use lines of best fit to draw conclusions about data.

(MCA, 6–8 items)

(MCA-Modified, 6–7 items)

Benchmarks

8.4.1.1

Collect, display and interpret data using scatterplots. Use the shape of the scatterplot to informally estimate a line of best fit and determine an equation for the line. Use appropriate titles, labels and units. Know how to use graphing technology to display scatterplots and corresponding lines of best fit.

Item Specifications

- Data sets are limited to no more than 30 data points
- Vocabulary allowed in items: scatterplot, line of best fit, correlation and vocabulary given at previous grades

8.4.1.2

Use a line of best fit to make statements about approximate rate of change and to make predictions about values not in the original data set.

Item Specifications

- Vocabulary allowed in items: scatterplot, line of best fit, and vocabulary given at previous grades

8.4.1.3

Assess the reasonableness of predictions using scatterplots by interpreting them in the original context.

Item Specifications

- Vocabulary allowed in items: scatterplot, line of best fit, and vocabulary given at previous grades

Appendix A

The minimum and maximum numbers of operational items by standard for the Mathematics MCA-III grades 3–8 and the MCA-Modified grades 5–8 are shown in Tables 6–15.

TABLE 6. MCA-III Grade 3 Minimum and Maximum Item Counts by Standard

Strand	Range of Items Per Strand	Standard	Number of Benchmarks per Standard	Range of Items Per Standard
1—Number & Operation	20–24	3.1.1	5	5–7
		3.1.2	5	8–10
		3.1.3	3	5–7
2—Algebra	8–10	3.2.1	1	3–4
		3.2.2	2	5–6
3—Geometry & Measurement	10–13	3.3.1	2	3–4
		3.3.2	3	3–4
		3.3.3	4	4–5
4—Data Analysis & Probability	6–8	3.4.1	1	6–8

TABLE 7. MCA-III Grade 4 Minimum and Maximum Item Counts by Standard

Strand	Range of Items Per Strand	Standard	Number of Benchmarks per Standard	Range of Items Per Standard
1—Number & Operation	18–22	4.1.1	6	8–10
		4.1.2	7	10–12
2—Algebra	8–10	4.2.1	1	4–5
		4.2.2	2	4–5
3—Geometry & Measurement	12–15	4.3.1	2	4–5
		4.3.2	4	5–7
		4.3.3	4	3–4
4—Data Analysis & Probability	6–8	4.4.1	1	6–8

TABLE 8. MCA-III Grade 5 Minimum and Maximum Item Counts by Standard

Strand	Range of Items Per Strand	Standard	Number of Benchmarks per Standard	Range of Items Per Standard
1—Number & Operation	18–22	5.1.1	4	6–8
		5.1.2	5	6–8
		5.1.3	4	6–8
2—Algebra	10–14	5.2.1	2	4–6
		5.2.2	1	2–3
		5.2.3	3	4–6
3—Geometry & Measurement	8–10	5.3.1	2	3–4
		5.3.2	4	5–6
4—Data Analysis & Probability	6–8	5.4.1	2	6–8

TABLE 9. MCA-Modified Grade 5 Minimum and Maximum Item Counts by Standard

Strand	Range of Items Per Strand	Standard	Number of Benchmarks per Standard	Range of Items Per Standard
1—Number & Operation	11–14	5.1.1	4	4–6
		5.1.2	5	3–4
		5.1.3	4	4–6
2—Algebra	7–9	5.2.1	2	3–4
		5.2.2	1	1–2
		5.2.3	3	3–4
3—Geometry & Measurement	6–8	5.3.1	2	2–3
		5.3.2	4	4–5
4—Data Analysis & Probability	6–8	5.4.1	2	6–8

TABLE 10. MCA-III Grade 6 Minimum and Maximum Item Counts by Standard

Strand	Range of Items Per Strand	Standard	Number of Benchmarks per Standard	Range of Items Per Standard
1—Number & Operation	14–19	6.1.1	7	5–7
		6.1.2	4	2–6
		6.1.3	5	5–7
2—Algebra	12–16	6.2.1	2	4–5
		6.2.2	1	2–3
		6.2.3	2	6–8
3—Geometry & Measurement	10–12	6.3.1	3	3–5
		6.3.2	3	3–5
		6.3.3	2	2–3
4—Data Analysis & Probability	6–8	6.4.1	4	6–8

TABLE 11. MCA-Modified Grade 6 Minimum and Maximum Item Counts by Standard

Strand	Range of Items Per Strand	Standard	Number of Benchmarks per Standard	Range of Items Per Standard
1—Number & Operation	9–12	6.1.1	7	4–7
		6.1.2	4	1–3
		6.1.3	5	3–5
2—Algebra	8–11	6.2.1	2	2–3
		6.2.2	1	1–2
		6.2.3	2	5–7
3—Geometry & Measurement	7–9	6.3.1	3	3–4
		6.3.2	3	3–4
		6.3.3	2	1–2
4—Data Analysis & Probability	6–8	6.4.1	4	6–8

TABLE 12. MCA-III Grade 7 Minimum and Maximum Item Counts by Standard

Strand	Range of Items Per Strand	Standard	Number of Benchmarks per Standard	Range of Items Per Standard
1—Number & Operation	12–16	7.1.1	5	4–6
		7.1.2	6	8–10
2—Algebra	16–20	7.2.1	2	1–2
		7.2.2	4	6–8
		7.2.3	3	4–6
		7.2.4	2	4–6
3—Geometry & Measurement	8–10	7.3.1	2	4–5
		7.3.2	4	4–5
4—Data Analysis & Probability	8–10	7.4.1	2	3–5
		7.4.2	1	1–2
		7.4.3	3	3–5

TABLE 13. MCA-Modified Grade 7 Minimum and Maximum Item Counts by Standard

Strand	Range of Items Per Strand	Standard	Number of Benchmarks per Standard	Range of Items Per Standard
1—Number & Operation	7–9	7.1.1	5	2–4
		7.1.2	6	4–7
2—Algebra	9–12	7.2.1	2	1–2
		7.2.2	4	3–4
		7.2.3	3	2–4
		7.2.4	2	2–4
3—Geometry & Measurement	7–9	7.3.1	2	3–6
		7.3.2	4	3–6
4—Data Analysis & Probability	8–10	7.4.1	2	3–5
		7.4.2	1	1–2
		7.4.3	3	3–5

TABLE 14. MCA-III Grade 8 Minimum and Maximum Item Counts by Standard

Strand	Range of Items Per Strand	Standard	Number of Benchmarks per Standard	Range of Items Per Standard
1—Number & Operation	6–8	8.1.1	5	6–8
2—Algebra	24–30	8.2.1	5	4–5
		8.2.2	5	4–6
		8.2.3	2	3–5
		8.2.4	9	10–15
3—Geometry & Measurement	8–10	8.3.1	3	3–5
		8.3.2	3	3–5
4—Data Analysis & Probability	6–8	8.4.1	3	6–8

TABLE 15. MCA-Modified Grade 8 Minimum and Maximum Item Counts by Standard

Strand	Range of Items Per Strand	Standard	Number of Benchmarks per Standard	Range of Items Per Standard
1—Number & Operation	6–7	8.1.1	5	6–7
2—Algebra	14–17	8.2.1	5	2–4
		8.2.2	5	2–4
		8.2.3	2	2–4
		8.2.4	9	7–9
3—Geometry & Measurement	6–7	8.3.1	3	3–4
		8.3.2	3	3–4
4—Data Analysis & Probability	6–7	8.4.1	3	6–7